

## Congratulations on your pregnancy!

Thank you for choosing IntelliGender®. Our Gender Prediction test (G.P.T.) is designed to provide an early indication of your baby's gender. Please read the directions in full before you begin. Any deviation can cause an inaccurate result.

You should have received three items in your shipping box necessary to complete the test:

- (1) The actual test, labeled 'girl' on one side and 'boy' on the other with a white over cap.
- (2) A clear cup for collecting your urine sample.
- (3) A syringe used for collecting and inserting your urine into the test.

Should any of these items be missing from your test kit, please contact us at [info@intelligender.com](mailto:info@intelligender.com).

### Follow these 6 easy steps:

1. Collect your first morning's urine in the cup provided. (Use ONLY first morning urine).
2. Remove the white over cap and the sticky tab from the top of the test vessel and set aside.
3. Using the syringe provided, pull 20 ml's of urine into the syringe and gently insert into the exposed hole on the top of the test vessel.
4. Replace the sticky tab and the over cap and swirl the test rapidly in a circular motion for 10 seconds. **DO NOT SHAKE!**
5. Place the test on a flat, white surface. **Do not disturb!**
6. Read your test at EYE LEVEL at the 10 minute mark and match the color to the boy or girl color chart on the test vessel.

### Complete directions for performing the Gender Prediction Test (G.P.T.)

Please refrain from having unprotected intercourse 48 hours prior to testing. If you are currently on Progesterone therapy, please wait 10 days after your last dose to perform the test. We do not recommend using the IntelliGender® Gender Prediction Test if you suffer from PCOS (Polycystic Ovarian Syndrome).



1. When you wake, please fill the collection cup with your first morning urine. **It is very important to use first morning urine when collecting your sample.** Failure to do so will likely result in an incorrect result. Once collected, set the urine sample aside and get the test kit ready for use. Remove the white overcap and the sticky tab from the top of the lid, exposing a small hole in the middle. You will need to keep the tab close by as you will replace it over the hole and replace the over cap once the urine has been added. You are now ready to perform the test.

2. Placing the tip of the syringe into the collection cup, "pull" 20ml's of urine (as indicated on the side of the syringe) up into the syringe.

3. Place the tip of the syringe into the hole on the top of the test's lid and gently inject your urine.

4. Immediately replace the sticky tab over the hole and replace the over cap.

5. Pick up the test kit and swirl rapidly in a circular motion for 10 seconds. Do not shake. Place the activated kit on a white paper plate, paper towel or piece of paper where it can be easily read without disturbing. This will help eliminate any background color when reading the results.

6. Read your gender result promptly at 10 minutes. If your urine has turned green to dark/smoky green, you are having a boy! If your urine stays relatively unchanged or turns a deeper yellow or orange, you are having a girl! Please note, after 10 minutes your results

may change and are no longer valid.

You must read the test at eye level without picking it up and disturbing it. Do not hold the kit up to a light source, such as a window, to read the test as it will distort the final result.

Our label (and website) has examples of the resulting colors to help you match the results. If you are unsure of your result, our Customer Service Department will be happy to assist with your reading. The test is over after 10 minutes. Note: It is very important not to disturb the test kit while processing.

**Caution:** Keep out of reach of children. Do not ingest. Avoid contact with skin or eyes. Should contact occur, flush with copious amounts of water. Should ingestion occur, immediately contact your poison control center. Do not induce vomiting. Once the test is finished, discard in an outdoor receptacle as the urine will produce an unpleasant odor over time. Please note that the test may be warm to the touch.

Moms from around the world have enjoyed getting an early "peek" into the gender of their growing baby with IntelliGender's G.P.T. While our results have proven highly accurate (please visit our website for exact accuracy rates for each gender), we recommend that you wait until your healthcare provider confirms the gender prior to painting the nursery pink or blue or making other financial or emotional investments into your gender result. Please, let us know what you think of the test and share your results with us! Our email address is: [info@intelligender.com](mailto:info@intelligender.com) or contact us at 877-3-GENDER or [www.intelligender.com](http://www.intelligender.com) with questions or comments.

**Should you have any problems with the test, DO NOT return to the store.** Contact IntelliGender® with proof of purchase for immediate assistance.

**Congratulations again and have fun sharing the news!**

 **IntelliGender®**  
Pink or Blue, Let IntelliGender Tell You!  
[www.intelligender.com](http://www.intelligender.com)